

Characteristics

High volume industrial grilles with adjustable blades 50 mm pitch. For wall installation and for air delivery.

Material

Galvanized steel Models made of stainless steel AISI 304, 2B or BA finish, are available on demand..


Fixing

Fixing screws (clips on request).


Accessories

Calibration damper made of galvanized steel and fins with opposite movement. Mounting counterframes made of galvanized steel sheet. Galvanized steel plenum, standard or insulated.


RJI-OV




RJI-VO




RJI-V / RJI-O




SC




CTP-RJI




Fixing type



Holes



Quick selection diagram



Selection table

	A _k [m ²]	Q [m ³ /h]		L _{WA} [dB(A)]		X _(0,25) [m]		Dp _t [Pa]	
		min	max	min	max	min	max	min	max
RJI 500x200	0,0791	680	1370	30	47	3,7	7,4	5	20
RJI 600x200	0,0957	830	1650	31	48	3,9	7,7	5	20
RJI 700x200	0,1123	970	1940	32	48	4,0	8,0	5	20
RJI 800x200	0,1291	1120	2230	32	49	4,2	8,3	5	20
RJI 900x200	0,1459	1260	2520	33	50	4,2	8,5	5	20
RJI 1000x200	0,1628	1410	2810	34	50	4,4	8,7	5	20
RJI 1200x200	0,1968	1700	3400	34	51	4,5	9,1	5	20
RJI 1400x200	0,2310	2000	3990	35	52	4,7	9,4	5	20
RJI 1500x200	0,2482	2150	4290	36	52	4,8	9,6	5	20
RJI 1800x200	0,3001	2590	5190	36	53	5,0	10,0	5	20
RJI 500x300	0,1207	1040	2090	32	49	4,1	8,2	5	20
RJI 600x300	0,1459	1260	2520	33	50	4,2	8,5	5	20
RJI 700x300	0,1713	1480	2960	34	50	4,4	8,8	5	20
RJI 800x300	0,1968	1700	3400	34	51	4,5	9,1	5	20
RJI 900x300	0,2225	1920	3850	35	52	4,7	9,4	5	20
RJI 1000x300	0,2482	2150	4290	36	52	4,8	9,6	5	20
RJI 1200x300	0,3001	2590	5190	36	53	5,0	10,0	5	20
RJI 1400x300	0,3523	3040	6090	37	54	5,2	10,4	5	20
RJI 1500x300	0,3785	3270	6540	38	54	5,3	10,5	5	20
RJI 1800x300	0,4576	3950	7910	38	55	5,5	11,0	5	20
RJI 500x400	0,1628	1410	2810	34	50	4,4	8,7	5	20
RJI 600x400	0,1968	1700	3400	34	51	4,5	9,1	5	20
RJI 700x400	0,2310	2000	3990	35	52	4,7	9,4	5	20
RJI 800x400	0,2655	2290	4590	36	52	4,9	9,7	5	20
RJI 900x400	0,3001	2590	5190	36	53	5,0	10,0	5	20
RJI 1000x400	0,3349	2890	5790	37	54	5,1	10,3	5	20
RJI 1200x400	0,4048	3500	7000	38	55	5,3	10,7	5	20
RJI 1400x400	0,4752	4110	8220	39	55	5,5	11,1	5	20
RJI 1500x400	0,5106	4410	8830	39	56	5,6	11,3	5	20
RJI 1800x400	0,6173	5330	10670	40	57	5,9	11,8	5	20
RJI 2000x400	0,6888	5950	11910	40	57	6,0	12,1	5	20
RJI 500x500	0,2053	1770	3550	35	51	4,6	9,2	5	20
RJI 600x500	0,2482	2150	4290	36	52	4,8	9,6	5	20
RJI 700x500	0,2914	2520	5040	36	53	5,0	9,9	5	20
RJI 800x500	0,3349	2890	5790	37	54	5,1	10,3	5	20
RJI 900x500	0,3785	3270	6540	38	54	5,3	10,5	5	20
RJI 1000x500	0,4224	3650	7300	38	55	5,4	10,8	5	20
RJI 1200x500	0,5106	4410	8830	39	56	5,6	11,3	5	20
RJI 1400x500	0,5995	5180	10360	40	56	5,8	11,7	5	20
RJI 1500x500	0,6441	5570	11130	40	57	5,9	11,9	5	20
RJI 1800x500	0,7786	6730	13460	41	58	6,2	12,4	5	20
RJI 2000x500	0,8689	7510	15020	42	58	6,3	12,7	5	20
RJI 600x600	0,3001	2590	5190	36	53	5,0	10,0	5	20
RJI 800x600	0,4048	3500	7000	38	55	5,3	10,7	5	20
RJI 900x600	0,4576	3950	7910	38	55	5,5	11,0	5	20
RJI 1000x600	0,5106	4410	8830	39	56	5,6	11,3	5	20
RJI 1200x600	0,6173	5330	10670	40	57	5,9	11,8	5	20
RJI 1400x600	0,7247	6260	12530	41	57	6,1	12,2	5	20
RJI 1500x600	0,7786	6730	13460	41	58	6,2	12,4	5	20
RJI 1800x600	0,9413	8140	16270	42	59	6,5	12,9	5	20
RJI 2000x600	1,0504	9080	18160	42	59	6,6	13,2	5	20
RJI 800x800	0,5461	4720	9440	39	56	5,7	11,4	5	20
RJI 900x800	0,6173	5330	10670	40	57	5,9	11,8	5	20
RJI 1000x800	0,6888	5950	11910	40	57	6,0	12,1	5	20
RJI 1200x800	0,8327	7200	14390	41	58	6,3	12,6	5	20
RJI 1400x800	0,9776	8450	16900	42	59	6,5	13,0	5	20
RJI 1500x800	1,0504	9080	18160	42	59	6,6	13,2	5	20
RJI 1800x800	1,2698	10970	21950	43	60	6,9	13,8	5	20
RJI 2000x800	1,4169	12250	24490	44	61	7,1	14,2	5	20
RJI 1000x1000	0,8689	7510	15020	42	58	6,3	12,7	5	20
RJI 1200x1000	1,0504	9080	18160	42	59	6,6	13,2	5	20
RJI 1400x1000	1,2331	10660	21320	43	60	6,9	13,7	5	20
RJI 1500x1000	1,3249	11450	22900	44	60	7,0	13,9	5	20
RJI 1800x1000	1,6017	13840	27690	44	61	7,3	14,5	5	20
RJI 2000x1000	1,7873	15450	30900	45	62	7,4	14,9	5	20