





**RVR-O**




Insertion counterframe

- Characteristics** Transit grilles, 20 mm pitch.
- Material** Anodized aluminium..
- Fixing** Holes for screws.
- Utilization** For the air flow transit by doors and thin walls.
- Accessories** Auxiliary frame.



## Type of fixing

Fixing with screws



## Holes


2 löcher




Amount of holes for mouting screw

| Smaller side | Longer side |     |     |     |      |
|--------------|-------------|-----|-----|-----|------|
|              | 200         | 250 | 300 | 350 | ≥400 |
| 100          | 2           | 2   | 2   | 4   | 4    |
| 150          | 2           | 2   | 2   | 4   | 4    |
| 200          | 2           | 2   | 2   | 4   | 4    |
| ≥250         | 2           | 2   | 2   | 4   | 4    |

## Diagram of selection



## Quick Selection Diagram



## Selection table

| Model        | A <sub>k</sub> [m <sup>2</sup> ] | Q [m <sup>3</sup> /h] |      | L <sub>WA</sub> [dB(A)] |     | D <sub>Pt</sub> [Pa] |     |
|--------------|----------------------------------|-----------------------|------|-------------------------|-----|----------------------|-----|
|              |                                  | min                   | max  | min                     | max | min                  | max |
| RVR 215x115  | 0,0140                           | 60                    | 60   | 24                      | 39  | 5                    | 20  |
| RVR 315x115  | 0,0209                           | 40                    | 90   | 22                      | 40  | 5                    | 20  |
| RVR 415x115  | 0,0276                           | 60                    | 120  | 24                      | 40  | 5                    | 20  |
| RVR 515x115  | 0,0344                           | 60                    | 150  | 23                      | 40  | 5                    | 20  |
| RVR 615x115  | 0,0411                           | 90                    | 180  | 25                      | 40  | 5                    | 20  |
| RVR 715x115  | 0,0478                           | 110                   | 220  | 26                      | 41  | 5                    | 20  |
| RVR 815x115  | 0,0545                           | 120                   | 250  | 25                      | 41  | 5                    | 20  |
| RVR 915x115  | 0,0611                           | 140                   | 290  | 26                      | 42  | 5                    | 20  |
| RVR 1015x115 | 0,0678                           | 160                   | 320  | 26                      | 42  | 5                    | 20  |
| RVR 315x175  | 0,0330                           | 70                    | 140  | 24                      | 39  | 5                    | 20  |
| RVR 415x175  | 0,0438                           | 100                   | 200  | 26                      | 41  | 5                    | 20  |
| RVR 515x175  | 0,0545                           | 120                   | 250  | 25                      | 41  | 5                    | 20  |
| RVR 615x175  | 0,0651                           | 150                   | 310  | 26                      | 42  | 5                    | 20  |
| RVR 715x175  | 0,0757                           | 180                   | 360  | 26                      | 42  | 5                    | 20  |
| RVR 815x175  | 0,0863                           | 210                   | 420  | 27                      | 42  | 5                    | 20  |
| RVR 915x175  | 0,0968                           | 230                   | 480  | 26                      | 43  | 5                    | 20  |
| RVR 1015x175 | 0,1073                           | 260                   | 530  | 27                      | 43  | 5                    | 20  |
| RVR 215x215  | 0,0276                           | 60                    | 120  | 24                      | 40  | 5                    | 20  |
| RVR 315x215  | 0,0411                           | 90                    | 180  | 25                      | 40  | 5                    | 20  |
| RVR 415x215  | 0,0545                           | 120                   | 250  | 25                      | 41  | 5                    | 20  |
| RVR 515x215  | 0,0678                           | 160                   | 320  | 26                      | 42  | 5                    | 20  |
| RVR 615x215  | 0,0810                           | 190                   | 290  | 26                      | 42  | 5                    | 20  |
| RVR 715x215  | 0,0942                           | 230                   | 460  | 27                      | 42  | 5                    | 20  |
| RVR 815x215  | 0,1073                           | 260                   | 530  | 27                      | 43  | 5                    | 20  |
| RVR 915x215  | 0,1204                           | 300                   | 610  | 27                      | 43  | 5                    | 20  |
| RVR 1015x215 | 0,1335                           | 330                   | 680  | 27                      | 43  | 5                    | 20  |
| RVR 315x315  | 0,0611                           | 140                   | 290  | 26                      | 42  | 5                    | 20  |
| RVR 415x315  | 0,0810                           | 190                   | 390  | 26                      | 42  | 5                    | 20  |
| RVR 515x315  | 0,1007                           | 240                   | 500  | 26                      | 43  | 5                    | 20  |
| RVR 615x315  | 0,1204                           | 300                   | 610  | 27                      | 43  | 5                    | 20  |
| RVR 415x415  | 0,1073                           | 260                   | 530  | 27                      | 43  | 5                    | 20  |
| RVR 515x415  | 0,1335                           | 330                   | 680  | 27                      | 43  | 5                    | 20  |
| RVR 615x415  | 0,1595                           | 410                   | 830  | 28                      | 44  | 5                    | 20  |
| RVR 715x415  | 0,1855                           | 480                   | 980  | 28                      | 44  | 5                    | 20  |
| RVR 815x415  | 0,2114                           | 560                   | 1140 | 29                      | 45  | 5                    | 20  |
| RVR 915x415  | 0,2372                           | 640                   | 1290 | 29                      | 45  | 5                    | 20  |
| RVR 1015x415 | 0,2629                           | 710                   | 1450 | 29                      | 45  | 5                    | 20  |

## Ordering key

**RVR - O - 515 x 215**

